

INDEX

A

- Acting Director of Nursing (ADN), 39–40, 78
- American Nurses' Association (ANA), 151
- Assistant Directors of Nursing (ADON), 39, 78, 145

B

- bacterial contamination, 11, 25, 150, 173
- bacterial infection(s), 18, 60, 177, 188, 190

Barriers

- educational, 95–96, 128, 162, 174
 - nurse-centred, 81, 91, 95–96, 113, 118, 147–148
 - organizational, 60, 91, 95, 100, 120, 133, 136, 145, 148, 152, 154, 171, 174
 - patient-centred, 95–96, 113, 147
 - societal, 95–96, 127, 160, 174
- Baseline vital signs recording, 67, 180
 - basic ABO terminology*, 18
 - Blood administration set*, 19–21, 68, 154, 200
 - blood bank testing, 15–16
 - Blood handling*, 68
 - Blood pack collection, 18, 188
 - Blood pack handling, 177
 - blood pack transport*, 19, 66, 177

Blood transfusion

- attitudes and views about, 75
- context, 1
- defined, 1
- incorrect, 129, 164
- knowledge and practice, 5, 71
- lack of knowledge and skills, 176
- lack of sound clinical policy, 144, 182

mistakes, 130
nurses' knowledge and reported practice of, 61
nurses' observed practice of, 59
phases of, 10–25
policies, 7, 117, 145
relationship between nurses' knowledge and practice of, 64, 70
review of the literature, 9
risks and complications,, 25–27
ways to improve nurses' knowledge and practice of, 167. *see also*
how to improve nurses' knowledge and practice
blood transport box, 19, 177, 181
Blood warming, 22, 60, 111, 116–117, 134, 150, 181, 190

C

clinical decision making, 36, 55, 144, 150, 163, 178, 195
Clinical Information Access Project (CIAP), 198
clinical supervision, 94–96, 109–110, 131, 143–144
CMV-negative products, 13
Combining quantitative and qualitative methods, 32
Commitment, 41, 95–96, 120–121, 152–153, 167
Competent nursing practice, 61
Continuing Medical Education (CME), 129
cytomegalovirus (CMV), 12–13

D

Data analysis, 48, 92
date of birth (DOB), 14, 18–19, 67, 72–73
decision-making skills, 96, 117, 149, 163, 175, 178–179
Descriptive Categories, 94–97
Directors of Nursing (DONs), 38–39, 172
Duration of transfusion, 22, 25, 70
Dynamic interacting systems, 48

E

Environmental factors, 79, 87

Ethical considerations

Beneficence, 44
Justice, 45
Non-maleficence, 41

Researcher as administrator, 40
Respect, 45
Evidence-Based Practice (EBP), 37, 75, 83–84, 94, 116, 120, 123,
132, 141, 149, 158, 165–166, 189, 201
external facilitator, 189–190
external quality assurance (EQA), 15

F

Federal Department of Nursing (FDON), 129, 141–142, 160
flow rate, 22–23, 25, 41, 101, 181

Focus groups

Aim and objectives, 75
Data analysis, 92
Data collection, 79
Environmental factors, 87
Number of, 86
Organizing the data, 93
participants, 78
Pilot study, 82
Planning, 79
Purpose of, 87
Rationale, 76
Research design, 77
Results, 98–129
Sample size, 84
Sampling, 78
Transcription, 90
FOCUS-PDCA, 201

G

General Authority for Health Services (GAHS), 6, 105, 137, 164, 166
goal attainment, 51–52, 54, 56–58, 184–185
Guide, 37–38, 76, 80–82, 94
Guidelines, 2–3, 7, 14, 21, 36, 105, 109, 144–145, 187, 198
Gulf Cooperation Council (GCC), 132, 160

H

habitual practices, 101, 158
haemoglobinopathies, 1

hemolytic reaction(s), 2–3, 22, 26–27, 188
hemolytic transfusion reaction, 25–26, 53
how to improve nurses' knowledge and practice, 185

I

Infection control, 21, 69
Initial sorting of data, 94
Institute of Medicine (IOM), 156–157, 163
Intensive Care Unit (ICU), 2, 5, 64, 68, 98, 104
Interpersonal system(s), 50–52, 58, 81, 95, 123, 183
intrauterine transfusion (IUT), 12–13

J

Joint Commission on the Accreditation of Healthcare Organizations, 201

K

King's Conceptual Framework, 48–51, 56–57, 61, 173, 183
King's framework and study findings, 184
King's Systems Framework, 81
knowledge deficits, 31, 52, 60–63, 73, 75, 100, 114–115, 119, 133, 149–150, 159, 174, 176, 195, 202
Knowledge-based questionnaire, 36
knowledge-practice gap, 5, 9, 27–29, 33, 50, 52, 74–75, 80, 91, 94–100, 110, 114, 116, 126, 131–133, 136, 141, 144–154, 158–161, 164, 167, 169, 175, 179, 184, 204

L

Lack of disciplinary action, 94, 96, 109, 141
Lack of resources, 95, 100, 102, 104, 115, 134, 137, 181
Language barrier(s), 57, 60, 63, 155, 157, 185
Low morale, 54, 96, 104–105, 136–137, 151, 167

M

Measurement Framework, 32
Mild allergic transfusion reaction, 26
MoH, 106, 129, 137–139, 142, 146, 148, 151–152, 154, 159–160, 166–167, 172

N

National Institute of Clinical Excellence (NICE), 144
Nurses' Attitudes, 75, 82, 126, 151, 154, 201, 241, 243, 248
Nurses' negative attitudes, 94, 96, 118, 150, 179, 199
Nurses' training needs, 65, 67, 135
Nursing and Midwifery Council (NMC), 142, 156, 167, 196
Nursing in the UAE, 8, 127, 160, 196, 199, 204
Nursing leadership issues, 94, 108, 140
nursing responsibilities, 19, 21, 66, 69

O

Overview of the UAE health care system, 6

P

PARiHS framework, 186–190, 192
Participant Information Sheet (PIS), 42, 45, 78, 238–239, 241, 243
patient intravenous (IV), 16, 26, 66–67, 71, 117, 149–150, 179, 230
Patient identification, 14–15, 18–19, 60–63, 67, 72, 178, 180, 201, 230
Patient preparation, 16–17, 66, 176
Patient/relative education, 66–67, 179
Patients' negative attitudes, 127, 159
Phases of the study
Phase 1, 30, 174
Phase 2, 31, 159, 174
Phase 3, 31, 74–75, 174
Phases of the blood transfusion, 9–10
Physical observation of patient, 23, 70
Post-transfusion initiation nursing responsibilities, 21, 69
pre-transfusion compatibility testing, 13
Pre-transfusion initiation nursing responsibilities, 19, 66
proper appraisal system, 103, 135, 193

Q

qualitative and quantitative paradigms, 34
quality, 4–5, 29, 31, 44, 49, 51–53, 55, 59, 83, 89, 92, 100, 102, 105, 128, 131, 135, 139, 141, 147, 150, 155, 157, 163, 166–167, 171, 180, 186–187, 191, 197, 200

R

Rationale, 2, 4, 17, 21, 75–76, 97, 99, 183
RBC transfusions, 12
red blood cells (RBCs), 1–2, 21
Research design, 30, 35
Research Method for Each Phase, 35
Review of the literature, 3, 9
RhD negative, 19
Routine Blood Transfusion Knowledge Questionnaire (RBTKQ), 10, 36–37, 62, 66–67, 76, 174, 191, 202, 204

S

scientific work environment, 95–96, 112, 145
Slow Initiation Transfusion, 69
sound clinical policy, 55, 81, 95–97, 110, 123, 144, 167, 182
Status of nursing, 96, 127, 160–161, 164, 171, 204
Strengths and Limitations of the Study, 194
Structured observation schedule, 36
Survey(s), 29, 31, 33, 37, 45, 47, 61–63, 71, 75, 80, 82, 102, 120, 126, 130, 161–162, 167, 173, 175–176, 178, 180, 183–184, 187, 190

T

task-oriented context, 95–96, 108, 113, 146
transfusion-associated graft-versus-host disease (TA-GvHD), 13
Trustworthiness, 74, 78, 168–169

U

United Nations Human Development Report, 166–167

V

Vital signs recording, 24, 46, 66, 70, 180

W

World Health Organization (WHO), 10–12, 15–27, 134–135, 149, 161, 163, 188, 196, 201, 296–297
wrong blood in tube (WBIT), 14