

# Index

## A

A Point, 137, 187, 189, 195-198, 294, 352, 377, 388-389, 391-392, 394, 397, 399-401, 599, 651, 654, 668, 671, 687

Aberrant, 553, 572, 649

Abuse, 21, 28-30, 32, 38-40, 43-45, 177, 274, 659, 661, 667

Accessional teeth, 131, 278, 281, 649

Achievement tests, 11, 649

Actin, 80, 82, 235, 244, 246-247, 649

Activator, 235, 243, 246, 388, 416, 490, 586, 649, 671, 681

Addiction, 38, 43, 649

ADHD, 25, 27, 44, 656

Adolescence, 13, 18, 31, 34, 41, 44-45, 185, 265-266, 268, 275, 277, 283, 285, 386, 435, 482, 500, 505, 510, 514, 520, 580, 649

Adolescent dentition, 137, 278, 282, 508

Adult orthodontic treatment, 521-546, 649

### **Adverse effects of orthodontic treatment**

Abnormal growth patterns of the jaws, 605-606, 617

Abnormal tooth wear and debonding fractures, 619

Aspiration or ingestion of orthodontic appliances, 605

Bacteremia after orthodontic banding, 605, 619

External apical root resorption, 245, 605, 607, 609, 619

Extraction of teeth and supplemental orthognathic surgery may be necessary, 605

Impacted third molar teeth may still occur, 605-606

Injury from dental instruments, 605, 611

Length of treatment may vary from estimate, 605

Nickel allergy, 605, 612, 619

Patient injuries from orthodontic appliances, 605, 610, 619

Periodontal disease, 204, 280, 425, 428, 522-523, 605, 607, 618, 685

Post treatment changes in alignment, 605

Teeth with questionable vitality may be adversely affected, 606

Temporo-mandibular joint disorders may occur, 605

Tooth decay and enamel decalcification, 605

Tooth mass discrepancies may not be resolved, 605

Agnesis, 118, 120-122, 140, 163, 178, 180, 185-186, 375, 416, 437, 561, 580, 649

Aggressive, 22, 26, 40, 43, 208, 611, 649, 656, 689

Allogenic cell sourcing, 649

Allogenic transplantation, 649

### **Alveolar bone**

Alveolar bone proper, 203, 209-210, 212, 219,

222-224, 229, 650, 695  
 General description, 203, 213, 222, 555  
 Supporting bone, 203, 222-224, 371, 695  
 Alveolar crest fibers, 209, 650  
 Alveolar crestal bony height, 650  
 Alveolar fundus, 650  
 Alveolar ridge, 231, 551, 580, 650  
 Ameloblasts, 383

## Analysis

Bolton tooth ratio; *see Bolton tooth ratio*  
 Computerized dental cast, 328  
 Computerized radiographic, 327  
 Computerized visual treatment objective, 329  
 Hixon-Oldfather, 337, 340, 371  
 Howe's analysis, 334  
 Limitations of permanent dentition space, 321  
 Mixed dentition analysis; *see Mixed dentition analysis*  
 Moyers Mixed Dentition Space Analysis, 338  
 Nance mixed dentition space analysis, 337  
 Occlusogram, 193, 201, 354-355  
 Permanent dentition space, 321, 335-336  
 Sanin-Savara tooth size analysis, 321, 332

## Analysis of the orofacial skeleton

Analyses, 149, 159, 161, 263, 287-288, 321, 324-325, 327-329, 335-337, 339-341, 352-353, 356-357, 361, 364, 371, 387, 394-395, 400, 403, 416, 433, 435, 450, 497-499, 579, 585, 658, 660

Craniofacial planes and growth direction, 387, 398  
 Equipment and enlargement, 387  
 Planes and lines, 387, 397, 399

Analysis of tooth positions and inter-arch, 321, 372

Analysis of tooth positions and interarch relationships, 321, 348, 372

## Analysis of tooth size

Relationship of tooth size to the supporting structures, 321, 333

Anatomic crown, 283, 499, 650

## Anchorage

Cervical anchorage, 650  
 Extraoral anchorage, 187, 192, 195, 650

Intermaxillary anchorage, 192, 650  
 Intraoral anchorage, 650  
 Multiple anchorage, 650  
 Occipital anchorage, 192, 650  
 Reciprocal anchorage, 187, 192-193, 650  
 Simple anchorage, 650

Angiogenesis, 650

Angiogenic, 650

Angle ANB, 294

Angle FMA, 651

Angle IMPA, 652

Angle of convexity, 273, 275, 287, 294, 651

Angle's classification, 155, 162, 266, 275, 281, 351-352, 651

## Angle's classification of malocclusion

Class I, 104, 111, 131, 133-135, 149, 152-154, 169, 260, 266, 268, 271, 273, 276, 278-279, 281-283, 285, 294, 301, 331-332, 339-340, 343, 350-351, 371-372, 400, 416, 424, 426-427, 433, 462-465, 484, 486-487, 495, 499, 502-503, 505-507, 510, 514, 516, 535, 550, 560, 567, 571, 586, 591, 603, 608, 623, 628, 631-632, 634, 651, 667, 677, 679, 682, 689, 693

Class II, 103-104, 115, 133-135, 139, 149, 151-152, 154-155, 159-161, 171, 184, 192-193, 195, 254, 259-260, 262, 266, 271, 273, 276, 278-283, 285, 287, 294-299, 301, 343, 349-351, 369-371, 387-388, 398, 400, 402, 416, 418, 420-421, 424, 427, 429, 433, 438, 447, 462, 477-479, 481-484, 495, 498-499, 501-502, 505-510, 514, 520, 535, 539, 550, 572, 574, 583, 585-588, 591, 594, 599, 603, 607, 614-617, 622-623, 627-628, 631-632, 634, 636, 651-652, 666, 676, 689, 693-694

Class III, 104, 133-134, 139, 141, 152, 154-155, 161, 175-176, 192, 195, 266, 271, 273, 276, 278, 282-283, 285, 294, 296, 298-299, 301, 343, 349, 351, 364, 369, 420, 424, 427, 429, 433, 435, 440,

- 465, 477-478, 484-493, 495, 501-502, 505, 509-512, 520, 545, 551, 575-577, 583, 585-586, 588, 602-603, 611, 617, 622-623, 627-628, 631-632, 651-652, 678, 680, 689, 693-694, 698
- Division 1, 152, 154-155, 262, 273, 276, 278, 280, 282, 285, 296-298, 351, 388, 421, 481, 501-502, 505-508, 510, 594, 631-632, 634, 636, 651
- Division 2, 154, 273, 276, 278, 282-283, 296, 298, 301, 351, 421, 505, 508-509, 586, 588, 603, 623, 631, 651, 676
- Ankyloglossia, 652
- Ankylosed, 184-185, 279, 344, 421-422, 439-440, 467, 473-474, 497-498, 501, 622, 624-625, 652
- Ankylosis, 105, 163, 184, 268, 273, 279-280, 283, 299, 303, 344, 367, 421, 436, 577, 632, 652-653
- Anlage, 469, 652
- Anodontia, 120, 151, 180, 185, 293, 344, 375, 652, 683
- Anomalies of teeth**
- Anomalies, 21, 75, 117, 140, 163, 170, 172, 176, 181, 185-186, 265, 268-269, 274, 278, 280, 284, 286, 293, 296, 298, 303, 321-323, 326, 348, 358, 366, 375, 383, 386, 420, 429, 431, 433, 450-451, 469, 499, 505, 515, 520, 547-581, 653, 663, 695
- Environmental agents affecting tooth development, 375, 382
- Anorexia nervosa, 653
- Antegonial notch, 594, 653
- Antegonial notching, 570-571, 653
- Antegonial, 653
- Anterior border of the ramus, 653, 663
- Anterior component of force, 127, 129, 653
- Anterior cranial base, 496, 653, 693
- Anterior crossbite, 155, 158, 273, 281-283, 362, 368, 486, 488, 491, 493-496, 534, 563, 575, 626-627, 653, 689
- Anterior Downs point, 653, 667
- Anterior nasal spine, 391, 394, 653-654, 684, 687
- Anterior openbite, 276, 281, 303, 321, 361, 367, 369, 505
- Antibody, 239, 653
- Antigen, 653-654
- Antimere, 396, 654
- Antisocial behavior, 654
- Anxiety disorders**
- Panic attacks, 2, 32, 40
- Phobias, 2, 32, 39
- Post traumatic stress disorder, 2, 32, 36, 41-42, 45
- Apertognathia, 359
- Apical base, 96, 279, 294, 321, 325, 329, 333-334, 362-363, 433, 595, 654, 657, 694
- Apical cementum, 654
- Apices, 329, 333-334, 392-393, 654
- Appliance**
- Extraoral appliance, 520, 654
- Fixed appliance, 245, 424, 465, 487, 534-535, 599, 654
- Removable appliance, 428, 489, 514, 567, 599, 654, 657, 681, 690
- Appositional growth, 212, 654
- Aptitude tests, 11, 654, 676
- Arch circumference, 135, 137, 459, 654-655
- Arch depth, 137, 343, 654-655
- Arch form and symmetry**
- Alterations/expansion of arch form, 321
- Arch form and aging, 321, 347
- Asymmetries in arch form, 321, 343
- Malocclusions and arch form, 321, 343
- Maxillary arch asymmetry analysis, 321, 346
- Population differences, 321, 341, 346
- Arch length**
- Arch length deficiency, 656
- Available arch length, 382, 419-420, 424, 667
- Required arch lengths, 656
- Arch length discrepancy, 152, 382, 506, 655
- Arch perimeter, 117, 131, 133, 135, 137-139, 266, 269, 273, 279-281, 283, 286-287, 299, 303, 329, 334-336, 339-340, 342, 422, 449, 456-457, 459, 461, 465, 468, 471, 483, 626-627, 654-655, 673, 694

Arch width, 132-133, 135-137, 139, 152, 171, 303, 343, 346-347, 371-373, 382, 592, 594, 655

Arch wire, 195, 198-200, 406, 420, 525-526, 533-534, 539, 656, 659, 667, 678, 694

### **Arch, arch form**

Aging, 211, 321, 347, 415, 602

Alveolar arch, 96, 112, 135, 329-330, 456, 462, 478, 649

Apical base; *see Apical base*

Arch form, 117, 128, 149, 151-152, 155, 172, 185, 273, 278, 286, 298, 303, 321-322, 327, 341-344, 346-348, 353, 371-372, 406, 459, 479, 483, 532, 535, 537, 564, 580, 583, 590-591, 593-594, 603-604, 626, 655, 666, 677, 681, 683

Asymmetries, 148, 277, 302, 321, 323, 326, 343-344, 346, 353, 363, 371, 389, 414, 425, 457, 500, 543, 594, 628

Basal arch, 329-330, 449, 649, 657

Bonwill-Hawley, 341

Brader, 341-342

Catenary curve; *see Catenary curve*

Dental arch; *see Dental arch*

Individualized arch form, 321, 342

Architectonic balance, 95, 105

### **Architectonic relationships**

Facial and pharyngeal airway, 95, 104

Articular, 100-102, 308, 312-313, 490, 655, 660, 663

Articular disc, 308, 655

Articular eminence, 655, 660

Aspects of pain, 2, 41

Asperger's Disorder, 2, 25-26, 42, 45

Asperger's syndrome, 25, 655

Assessment of mechanical allodynia, 307, 313

Assessment of the results of early treatment, 433, 435

Association, 37, 44, 58, 75, 139, 162, 167, 185, 255-256, 258-259, 261, 280, 304-305, 310-311, 318, 383-384, 386, 418, 429, 547, 578, 592-593, 610, 612-613, 619, 623-624, 629, 637, 647, 655, 667, 685, 688

Asymmetrical, 265, 267, 273, 344, 520,

542-543, 566, 570, 656

Attached gingiva, 206-207, 302, 523, 562, 607, 655

Attention deficit hyperactivity disorder, 27, 43, 656

Authoritarian parenting, 656

Authoritative parenting, 656

Autism, 20, 23-25, 42, 44, 655-656

Autistic Disorder, 2, 23-25

### **Autistic spectrum disorders**

Asperger's disorder, 2, 25-26, 42, 45

Autistic disorder, 2, 23-25

Pervasive developmental disorder, 2, 24-25

Autogenous, 443, 524, 656

Autologous cell sourcing, 656

Autologous transplantation, 656

Axon, 58, 79, 656, 664-665, 681, 696

## B

---

B point, 294, 391, 400, 652, 658

B-ligand (RANKL), 235

Babinski's reflex, 656

Bacteremia, 605, 612, 619, 657

Basal bone, 136-137, 160-161, 222, 330, 346, 476, 531, 540, 583, 586, 595, 657, 679-680, 688

### **Basicranium as a template**

Brachycephalic headform, 95, 103

Dolichocephalic headform, 95, 103

Basion, 294, 394, 397, 657, 662

### **Bias**

Confounder, 259-261

Confounding, 249, 258-261, 663

Effect modification, 260, 668

Information, 3, 11, 18, 25, 27, 66, 99, 104, 119-120, 127, 148, 152, 165, 168, 172, 233, 249-250, 252, 256-258, 261, 265, 270, 272, 284, 286, 297, 310, 313,

322-323, 348, 355, 367, 370, 393, 395, 403, 406-407, 414-415, 417-418, 449, 521, 560, 577-578, 605, 618, 622-623, 625, 627, 632-633, 642, 644, 646, 657, 685, 688, 692

Recall, 136, 256, 261, 271, 274, 560, 562, 567, 577

Selection, 249, 254-259, 304, 332, 417, 437, 461, 484, 525-526, 528, 531, 533-535, 601, 657

Bimaxillary dentoalveolar protrusion, 161

Bimaxillary dentoalveolar retrusion, 161, 657

Bimaxillary prognathism, 160, 433, 496, 657

Bimaxillary retrognathism, 161, 657

Bioactive factors, 657, 675

Bioactivity, 657

Biologic age, 657

Biologic width, 205, 528, 531, 657

Bite splint, 657

Biteplate, 657

**Blinding**

- Double-blind studies, 255
- Placebo, 255

BMI, 6, 9, 658

BMP, 121, 234, 236, 242, 658

Body image, 2, 14-16, 658

Body mass index, 6, 658

Bolton analysis, 331-332, 352, 614, 658

Bolton discrepancy, 353

Bolton tooth ratio, 321, 331

Bone age, 268, 285, 658

Bone morphogenetic proteins, 242, 658

Bone morphogenic protein, 121

Brachycephalic, 95-96, 103, 146-147, 170, 658, 666, 681

Brachyfacial, 147, 151, 630, 658

Bracket, 72, 94, 187-188, 190-191, 195-199, 203, 349, 403, 428, 522, 525-526, 528, 531, 533, 543, 611-612, 614, 619, 659, 661, 666-667, 694

Brain development, 9-10, 14, 18, 69

Branchial, 47, 49, 51-54, 58-60, 66, 70, 73-75, 78, 80, 117-121, 140, 571, 658

Branchial arches, 47, 49, 51-54, 58-60, 73, 78,

80, 117, 140

Breathing reflex, 18, 658

Buccal, 48, 118, 123, 137, 151-152, 154, 157-158, 188, 192-195, 197-199, 205-207, 218, 220-222, 224-225, 266-267, 270, 273-274, 280-281, 295, 299, 321, 327, 334, 347, 350-351, 361-363, 367-370, 378, 413, 438-440, 476, 514-515, 525-526, 534-535, 539, 541, 543, 546, 564-567, 572, 574-575, 577, 586, 590, 600, 612, 651, 659, 662, 664-667, 675, 677, 680, 682, 687, 694, 696

Buccal crossbite, 157-158, 321, 363, 370, 514, 659

Buccovercion, 151, 280-281, 659

Bulimia nervosa, 659

Bullying, 659

Bundle bone, 204, 209, 212, 223-225, 659

## C

Calcification, 117-118, 122, 124, 176-177, 204, 231, 268, 382, 584

Callus, 223, 659, 666

Cant, 15, 17, 251, 255, 397, 541, 543, 569-573, 607, 659

Cast, 154, 286-287, 296-299, 301, 304, 312, 321-324, 327-329, 335, 338, 342, 346, 352-354, 362-364, 367-368, 372, 376, 396, 418, 422-424, 426-427, 457, 478, 499, 557, 563-564, 590, 592-593, 596, 599, 624-626, 644, 659, 665, 693, 695

Casual inference and multi factorial etiology, 251

Catenary curve, 341-342

**Causal inference**

- Causal mechanism, 251
- Causal pathway, 259
- Causal relationship, 259
- Causation, 138, 251-252, 261, 307, 311
- Cause, 4, 6, 9-11, 18-19, 21, 23-24, 27-30,

- 32-38, 42, 63, 65, 70, 73, 87-89, 92, 96, 100, 105, 124, 128, 136, 140, 145, 163, 166-167, 173, 175-178, 180, 182-184, 186, 189, 226-228, 230, 249, 251-252, 270, 273, 280-281, 307, 311, 313-315, 344, 346-347, 364, 421, 425, 433, 436-437, 451-453, 456-457, 460, 468-470, 476, 479, 490, 495, 497-498, 515, 518, 528, 533-534, 539, 549, 553-554, 560-563, 570, 583-586, 590, 592, 595-596, 607, 613, 617-619, 624, 629, 668, 670, 674, 692, 696
- Effect, 2, 4, 10, 15, 21, 30, 32, 35-36, 39-40, 63, 65-66, 68-69, 86, 88-90, 94, 97, 102-103, 105, 149, 152, 165-170, 175-176, 178, 187-191, 195-197, 200-201, 216, 218, 222, 228, 230, 238-246, 249-252, 254-256, 259-260, 262, 266, 270, 275, 277, 283-284, 295, 298-299, 302, 307, 313, 330-331, 361, 367, 370, 372, 382-384, 388, 414-416, 421, 425, 431, 435-437, 452, 457-458, 460-462, 470, 474, 476, 481, 484, 486, 489-490, 500-502, 505, 508, 522-523, 525, 539-540, 545, 553-554, 558-560, 562, 565, 567, 570-571, 573-574, 576, 579-580, 583, 585-586, 588, 591, 593-595, 598-599, 601-619, 625, 646, 650, 663, 668, 671, 673, 685, 688-689, 699-700
- Emergence, 10, 118, 124, 126, 233, 251, 268, 303, 357, 418, 566, 591, 662
- Game theory, 249, 251
- CCD, 234, 295
- Cell-based approach, 659
- Cellular cementum, 213, 380, 659-660
- Cementicles, 659
- Cementoblast, 203, 210-213, 221, 228, 659, 691
- Cementocyte, 212-213, 659-660
- Cemento-enamel junction, 189, 223, 380, 392, 395, 660
- Center of the sphenoid-occipital synchondrosis, 660
- Central ray, 388, 660
- Centric occlusion, 157, 266, 298, 327, 524, 660
- Centric relation, 157, 280, 323, 362, 524, 653, 660
- Cephalic index, 658, 660, 681
- Cephalometer, 159, 389, 661, 671
- Cephalometric analysis, 302, 304, 324-325, 328, 387-388, 400, 437, 465, 478, 486, 495, 497, 499, 644, 660-661
- Cephalometric correction factor, 287
- Cephalometric radiograph, 145, 159, 161, 265, 323, 325, 327, 348, 563, 565, 570, 627, 629, 633-634, 636, 645, 661, 671
- Cephalometric tracing, 327, 493, 661
- Cephalometrics, 267, 295, 304, 338, 387, 416, 449, 592-594, 661
- Cephalometry, 167, 390, 403, 416, 661, 668
- Cervical appliance, 661
- Cervical headgear, 661
- Cervical loop, 118
- Chief complaint, 270, 284, 299, 307, 418, 453, 601, 624
- Child abuse, 21, 39-40, 44, 661
- Child maltreatment, 39-40, 661
- Child neglect, 39, 661
- Child Sexual Abuse, 40, 44
- Child sexual abuse, 40, 44
- Chin, 54, 98, 114, 146-149, 195, 267, 269, 273, 275-276, 278, 284, 287, 294, 314, 327, 364, 388, 398, 400, 424, 482, 488, 490-491, 501, 508, 570, 573, 578, 588, 611, 619, 627-628, 658, 661, 666, 669-670, 672, 679, 687, 694, 700
- Chin cap, 501, 661
- Chloride channel protein 7 (CLC7), 235
- Chlorohexidine, 606
- Chondrocranium, 661
- Chronic, 9, 20-21, 35, 44, 170, 177, 245-246, 252, 274, 307, 313, 318-319, 380
- Chronic diseases, 252
- Chronic diseases; *see also Disease*
- Chronologic age, 267, 269, 274, 297, 657-658, 661
- Circumferential sulcus fiberotomy, 661

## Class I Malocclusion

- Anterior and posterior crossbites, 156, 269, 274, 280-281, 301, 419, 477, 506, 565, 593
- Flaring of maxillary and Mandibular anterior teeth, 506
- Moderate to severe deep overbite, 506
- Moderate to severe openbite, 506
- Moderate to severe overjet, 506

## Class II division 1 malocclusion

- Normal skeletal pattern, 505, 507
- Skeletal discrepancy, 178, 505-506, 510, 513-514, 539, 636

- Class II malocclusion, 152, 171, 184, 350, 371, 387-388, 398, 421, 433, 477, 479, 481, 483-484, 499, 501-502, 505, 507-508, 510, 572, 587, 614-616, 666

## Classification of bone tissue

- Compact bone or cortical bone, 203, 224
- Embryonic bone or woven bone, 203
- Spongy bone, 203, 214, 218, 220, 222, 225-226

- Cleft lip, 21, 56, 69, 71-72, 75, 172, 186, 296, 420, 500, 549-550, 553-554, 556, 558-563, 565-567, 571-573, 578-580, 662, 675

## Cleft of the lip and palate

- Associated problems, 26, 547, 576
  - Breathing, 18, 20, 38, 89, 94, 104, 152, 271-273, 284, 296, 303, 344, 421, 456, 479, 547, 576, 589, 611, 618, 623, 626, 630, 632, 658, 689
  - Emotional and psychosocial, 547, 552
  - Feeding, 2, 9, 15, 18-21, 31, 37, 39, 44, 272, 547, 552, 577, 579, 695
  - Growth and development, 1, 4, 94, 97, 103-104, 140, 164, 167, 171, 176-177, 262, 271, 324, 336, 360, 370, 372-373, 416, 418-419, 425, 433-435, 500-501, 505, 520, 554, 562, 571, 576, 579, 581, 602, 644-645, 651-653, 667, 700
  - Hearing, 21, 23, 90, 174, 274, 547, 552-553, 571, 578
- Classification, 17, 21, 73, 143-163, 167, 185, 187, 192-193, 203, 223, 249, 252,

- 266-267, 273-275, 278, 281, 301, 303-304, 308-309, 318-319, 321, 349-352, 359, 369, 372-373, 386, 400, 440, 469, 534, 547, 550-551, 571, 590, 592-593, 623, 627, 631, 634, 645, 650-651, 666, 682

- Dental problems, 33-34, 547, 560-561, 572, 577

- Anesthesia, 20, 612

- Caries, 127, 138, 152, 182, 259, 273, 322, 344-345, 378, 380-381, 428, 433, 437, 440, 447, 457, 502, 528, 579, 606, 618-619, 691-692

- Congenital absence, 179, 269, 273, 279-280, 286, 293, 298, 344, 376, 386, 436-437, 453, 560-561, 567, 652-653, 683

- Dental hypoplasia, 285, 561-562

- Ectopic eruption, 117, 124, 127-128, 152, 163, 180, 183-184, 268, 279, 286, 303, 344, 421, 467-468, 560-562, 577, 653, 667

- Malocclusion, 21, 90, 100, 102, 104, 115, 124, 138-141, 143, 146, 151-155, 161-186, 200, 249-262, 266-267, 269-271, 273-276, 278-285, 293-297, 299, 301, 303, 313, 318-319, 321-324, 330, 332-333, 340, 343, 349-351, 353, 357, 359-364, 367, 371-373, 387-388, 398, 400, 403, 417-418, 420-421, 424-426, 429, 431, 433-435, 447-448, 452, 456-457, 464-465, 476-479, 481, 483-488, 490-493, 495, 498-503, 505-516, 518, 520, 524, 534-535, 537, 539-540, 544-545, 553, 561-562, 572, 575-578, 583-604, 607, 611, 614-617, 621-637, 639-640, 644-647, 650-654, 665-666, 676, 678-679, 689, 693

- Tautness of the upper lip, 562

- Tooth formation and eruption, 226

- Etiology, 23, 35, 39, 43, 70, 100, 104, 122, 138, 143, 145, 163-186, 249-252, 258, 261, 285, 301, 303, 322, 324, 359-360, 363-364, 418, 421, 429, 451, 457, 469-470, 476, 502, 513, 520, 544,



547-549, 571, 575, 583, 589, 595, 632, 645, 669, 682

Incidence, 21-22, 34-35, 56, 69-70, 118, 169-170, 256-257, 303, 331, 333, 376-377, 380, 382-383, 470, 547, 549-550, 572, 576-577, 586, 606, 619, 675, 686, 692

Cleft palate, 15, 20, 56, 69-70, 72, 92, 140, 154-155, 157, 172, 174, 185, 259, 261, 376-377, 386, 433, 500, 547, 552-554, 556-557, 561, 567, 578-580, 662, 674

Cleidocranial dysplasia, 163, 176, 186, 242-243, 377

**Clinical**

Decision making, 249-250, 318, 364

Evidence, 11-12, 16, 24, 28, 33, 40, 56, 58, 63, 70, 72, 117, 121-122, 176, 193, 222, 232, 237-238, 249-250, 253-254, 256, 261-262, 269, 308, 322-323, 326, 347, 380, 382-383, 429, 483, 486, 488, 500, 520, 547, 556, 578, 584, 586, 589, 591-592, 595, 611, 631, 634, 652

Predictions, 249, 339, 347, 674, 694

Clinical crown, 283, 499, 596, 662

Clinical epidemiology, 143, 249-262

**Clinical epidemiology and malocclusion**

Case-control studies, 249, 257-258, 262

Casual inference and multifactorial etiology, 249

Game theory; *see Game theory*

Importance of multifactorial etiology in causal inference, 249, 251

Cohort studies, 249, 256-257

Cross-sectional studies, 249, 258

Ecologic studies, 249, 258

Treatment decision, 249, 253-254, 262, 505

Clinical eruption, 662

**Clinical examination**

Arches, 47, 49, 51-55, 58-60, 64, 66, 70, 73, 78-80, 95, 109, 117, 124, 128, 130, 136-138, 140, 145, 151-152, 154-156, 194, 265, 273-274, 276-279, 281-282, 293, 295-296, 298-299, 301-303, 321,

330, 333, 335, 337-338, 341, 343, 346-348, 350, 352, 354, 358, 361-363, 371-372, 391, 418-419, 421, 427, 433, 445, 449-450, 456, 459, 474, 477, 479, 481-483, 497, 506, 508, 514-515, 531-534, 540, 567, 572, 576, 584, 590, 593-594, 602, 612, 614, 630, 633, 645, 651, 655, 665, 671, 675-676, 679, 686, 690, 693-694

Craniofacial malformations; cleft palate, 433

Habits and other Anomalies of the teeth, 265

Sagittal plane, 145, 147, 152, 192, 195, 265-266, 273, 281, 388, 393-394, 397, 505, 624, 687, 692

Transverse plane, 146, 156, 265-266, 273, 280-281, 697

Vertical plane, 89, 146, 265, 273, 283-284, 364, 505, 512

## Clinical problems and procedures

Anterior crossbites, simple, 433, 495

Bimaxillary protrusions, 433, 496

Class II (distocclusion, postnormal occlusion), 433

Class III (mesiocclusion, prenatal occlusion) and pseudo class III, 433

Deep Bite (excessive overbite or vertical overlap), 433, 498

Labioversion of maxillary incisors (Excessive Overjet) with class I molar relationship, 433, 495

Lateral Malrelationships of the dental arches, 433

Problems singular to the transitional dentition, 433, 456

Spacing of teeth, 433, 451

Temporomandibular joint dysfunction, 35, 614, 697

Variations in size and shape of teeth, 433, 449

Clinoid processes, 662

Clivus, 394, 655, 662

Clonal model, 120

Closed bite, 498

## Cognitive development

Intelligence, 2-3, 11, 21, 23, 25, 33, 602, 676

Logical thinking, 2-3, 11

Object permanence, 2, 10, 18, 31, 683

Pre-operational logic, 2, 10



Collagen, 55, 85-86, 205-207, 210-216,  
221-222, 228-229, 231-232, 236-237, 245,  
385, 522, 584-585, 602, 658, 662, 685, 698

Collagen fiber, 86, 205-206, 221, 584, 662

Collum angle, 283

Columella of the nose, 662

Common Human Fears, 30-31

Compact bone, 194, 203-204, 218, 222-224,  
226, 662, 673, 677

Complete clefts, 580, 662

Complete crossbite, 157-158, 662

Compliance aspects of care, 1-45

### **Complicating factors in orthodontic treatment**

Biologic/Other Factors, 417, 428

Dental factors, 135, 417, 425, 499

Neuromuscular factors, 417, 425

Patient cooperation factors, 417, 428

Skeletal factors, 417, 425

### **Comprehensive adult orthodontic treatment**

Stages of treatment, 421, 443, 521, 537

Computerized visual treatment objective.; see  
*VTO*

Concept of chaos, 301

### **Conductive approach**

### **Condylar function**

Condyle as growth center, 95, 101

Ramus-condyle composite, 95, 102

Condylar plane, 663

Condyle, 74, 95-96, 99, 101-103, 113, 277,  
294, 308, 323, 326, 350, 352, 356-357,  
366-367, 387, 389, 393-394, 404, 570-571,  
573, 655, 658, 660, 663, 679, 689, 696

Condylion, 177, 389, 391, 393-394, 401, 663

Congenital anomalies, 172, 321, 366, 663

Conservation, 10, 222, 673

### **Control**

Friend, 13, 25, 33, 257, 445, 663, 685

Hospital, 31, 257, 549, 611, 663

Neighborhood, 257, 663

Random digit dialing, 257

Core binding factor 1, 234

Coronoid process, 99, 663

Corporal punishment, 40, 44-45

Cranial, 19, 21, 51, 58, 60-61, 73-74, 76-78,  
82-84, 86-87, 94-96, 99, 102-105, 115,  
146-147, 160, 174, 220, 261, 267, 274, 294,  
311, 323, 326, 361, 363-364, 387, 394, 397,  
404, 487, 490, 496, 502, 574-576, 650,  
652-653, 655, 657-658, 662-664, 666,  
681-682, 693, 699-700

Cranial base, 73, 77, 82-84, 103, 115, 160,  
267, 274, 294, 323, 361, 364, 394, 397, 404,  
487, 490, 496, 502, 575-576, 652-653, 655,  
657, 662-663, 693

Craniometry, 146, 262, 664

Craniosynostosis, 75, 163, 174-175, 574-575,  
577, 581, 664

Crepitus, 664

Cribriform, 83, 206, 210, 222, 225, 664

### **Criteria**

Exclusion, 20, 140, 186, 255, 386

Inclusion, 252, 255, 453

Selection criteria, 255, 304

### **Crouzon's or Apert's syndromes**

Etiology and description, 547, 571, 575

Incidence, 21-22, 34-35, 56, 69-70, 118,  
169-170, 256-257, 303, 331, 333,  
376-377, 380, 382-383, 470, 547,  
549-550, 572, 576-577, 586, 606, 619,  
675, 686, 692

Crown formation, 122, 139

Curve of spee, 113, 273, 287, 298-299, 305,  
340-341, 351, 400, 447, 499, 578, 664

Cusp of carabelli, 331

Cytoskeleton, 233, 236, 239, 244

## **D**

Database, 168, 247, 265-266, 269, 295, 301,

406

Decalcification, 273, 285, 428, 605-606, 618-619

Deciduous, 35, 90, 140, 163, 176-178, 182-184, 302-303, 344-347, 358-359, 361, 419-420, 422, 442, 477, 502, 556, 559, 609, 664, 695

Deciduous dentition, 178, 477, 664

Deepbite, 276, 284

Defining a satisfactory response, 433, 435

Deglutition, 94, 176, 425, 664

Degradable, 664, 673

Dendrites, 656, 664-665, 696

Dental aesthetic index, 262

Dental age, 140, 267-268, 625, 658

**Dental anomalies**

Impactions, 124, 268, 280, 296, 299, 323, 346, 359, 385, 470, 502, 505, 515

Missing, Atypical and/or Transposed Teeth, 505

**Dental arch**

Depth, 117, 124, 135-137, 265, 273, 296-297, 299, 333, 343, 347, 363, 367, 416-417, 437, 447, 467, 484, 498-499, 523, 577, 654-655, 657, 677, 685

Length, 10, 79, 84, 101, 103-104, 114, 117, 127, 135-137, 139-140, 146, 151-152, 171, 177, 182, 194, 204, 217, 230, 236, 274, 276-277, 283, 287, 297, 299, 302, 337, 341, 343, 346-348, 352-353, 361, 371-372, 382, 393, 397, 399, 401, 406, 419-421, 424, 457, 467, 470-471, 473, 487, 491, 499, 506, 526, 528, 531, 533, 537, 539, 542, 544, 546, 563, 568, 590, 592-593, 605, 611, 628, 632, 655-657, 660, 664, 667-668, 686, 690, 698

Width, 117, 130, 132-133, 135-139, 146-147, 152, 154, 156, 161, 171, 181, 194, 196, 205, 210, 230, 266, 278-281, 286, 293, 298-299, 303, 325, 330-331, 333, 336-339, 342-344, 346-348, 352-353, 361-363, 371-373, 382, 421, 425, 429, 438-440, 449-450, 457, 467, 477-478, 526, 528, 531-532, 534, 541-543, 554, 557, 590, 592-595, 601, 604, 607, 618,

637, 655-658, 660, 664, 666, 674-676, 678, 681, 686-687, 690, 693-694, 697

Dental dysmorphology, 375, 386

Dental follicle, 118

Dental lamina, 61, 118-120, 376-377, 665

Dental organ, 117

Dental papilla, 118-119

## **Dental relationships**

Maxillary and mandibular dental arches, 145, 361, 514

Sagittal dental relationships, 145, 152

Transverse dental relationships, 145, 156

Dentigerous, 380, 502, 665

Determinant, 104, 204, 277, 665

Determinants, 237, 249, 380, 601, 609, 647, 669

## **Developing a treatment plan**

Criteria for stopping the treatment phase, 417

Define the treatment goals, 417

Retention consideration, 417

Selecting treatment tactics, 417-418

## **Development of systems**

Musculature in the head and anterior neck, 47, 60, 89

Nervous system, 9-10, 47, 58-59, 88, 682, 689

Skeletal and connective tissue, 47, 61

Vascular system, 47, 232

## **Development of the dentition and occlusion**

### **Development of the primary occlusion**

Demineralization, 619, 664

Primary dental arch form, 117, 128

Primary dental occlusion, 117, 130

Developmental Aspects of Pain, 2, 41

Developmental language disorders, 22, 665

### **Developmental rotations**

Displacement rotation, 95, 101, 103

Remodeling rotation, 95, 100-101, 104

Developmental Sequences of Language Behavior, 11

Developmental Sequences of Motor Behavior, 9

Developmental spacing, 665

## Diagnosis

Diagnostic test, 253

False negative, 617

False positive, 253

Predictive value, 253

Sensitivity, 19, 33, 80, 253, 671, 693

Specificity, 244, 253, 694

## Diagnostic data

Clinical exam, 271, 302, 321-322, 336, 348, 361, 363, 367, 401, 561

Computerized diagnostic analyses and tools, 321, 327

Dental casts, 321-324, 327-329, 335, 338, 362-364, 372, 376, 593

Photography/Digital imaging, 321, 326

Radiographs, 120, 122, 125, 159, 223, 265, 269, 293, 295-296, 303-304, 319, 321, 323, 367, 381, 403, 428, 435, 448, 457, 469-471, 524, 563, 572, 575, 578, 594, 608, 610-611, 613, 624-625, 644-645

Diastema, 151, 172, 180, 182, 273, 280, 302, 424, 450, 452-453, 533-534, 600, 613, 618, 665, 671

Differences between adult and adolescent treatment, 521-522

Differentiation, 49, 56, 65, 72-73, 77-79, 214, 232, 234-236, 238-240, 242-244, 484, 584, 645, 665

Digital image, 390, 665

## Digital imaging

Photography, 295, 321, 326, 357, 532

## Dimensional changes in the dental arches

Circumference or perimeter, 117, 137

Dimensional changes during orthodontic therapy, 117, 139

Length or depth, 117, 137

Width, 117, 130, 132-133, 135-139, 146-147, 152, 154, 156, 161, 171, 181, 194, 196, 205, 210, 230, 266, 278-281, 286, 293,

298-299, 303, 325, 330-331, 333, 336-339, 342-344, 346-348, 352-353, 361-363, 371-373, 382, 421, 425, 429, 438-440, 449-450, 457, 467, 477-478, 526, 528, 531-532, 534, 541-543, 554, 557, 590, 592-595, 601, 604, 607, 618, 637, 655-658, 660, 664, 666, 674-676, 678, 681, 686-687, 690, 693-694, 697

Discipline, 2, 14, 39-40, 44-45, 97, 174, 250, 420, 435, 560, 663

## Disease

Disorder; *see Target disorder*

Disorders of Speech, 22

Disorders of speech; *see Speech*

Disorders of Voice, 2, 22

Distal step, 134-135, 273, 282, 462

Distraction, 151, 666

Distraction osteogenesis, 175-176, 555, 557, 568, 573, 633, 666

Divergency, 149, 510, 513-514

Dolicocephalic, 170, 666, 681

Dolicofacial, 666

Downs occlusal plane, 667, 687

Drift, 97, 104, 112, 114, 127, 138, 224, 226, 278, 344, 437, 441, 445, 447, 452, 459-461, 526, 667, 680

Drooling, 2, 21

Drug abuse, 38-39, 177, 667

Drug use, 38, 667

Dysarthria, 22, 667

Dyslexia, 269-270, 667

Dysmorphogenesis, 263, 375-386, 667

Dysostosis, 176, 569, 581, 667

Dysplasia, 9, 21, 104, 163, 172, 176, 180, 186, 242-244, 366-367, 375-377, 384-385, 418, 425, 429, 434, 436, 477-481, 484, 486, 490, 497-498, 515, 525, 569, 667

## E

- E space, 502, 669, 673, 677
- Early mesial shift, 667, 679
- Early treatment, 106, 296, 418-419, 424, 433-436, 438, 462, 479, 482-483, 487-490, 499-502, 520
- Edentulous, 437, 523, 526, 537, 539, 553, 559, 667
- Edgewise appliance, 667
- Effectiveness, 11, 40, 254, 256, 261-262, 429, 502, 553, 588, 606, 619, 639, 646-647
- Efficacy, 36, 241-242, 261-262, 354, 545
- Efficiency, 255-258, 414-415, 452, 502, 668
- Egocentric, 10, 269
- Electromyography, 94, 668
- Embryological organization of the face**
- Development of the primary palate, 47, 54
  - Development of the secondary palate, 47, 56
  - Earliest stages of embryonic development, 47
  - Formation, merging and fusion of facial growth centers, 47
  - Pharyngeal arch formation, 47, 49
- Emodel, 99, 321, 352-356, 370, 403
- Emotional age, 269
- Emotional Development, 2-3, 12, 15, 18, 36, 552
- Emotional development**
- Development of emotional security, 2, 12
  - Emotional regulation, 2, 13, 668
  - Emotions, 2, 11-13, 17, 22, 31, 35, 677, 686, 692, 696
- Emotional Milestones, 13
- Enamel knot, 118, 668
- Enamel organ, 118-119, 380, 668
- Endosseous implants, 668
- Environment, 4, 14, 16-17, 27, 33, 66, 120, 124, 164, 166, 170, 186, 203, 226, 251, 344, 375, 386, 406, 419, 482-483, 487-488, 523, 548, 560, 645, 667, 673
- Epidemiological methods, 250
- Epigenetic, 120, 167, 186, 375, 668
- Epithelial buds, 118
- Epithelial swelling, 118
- Epithelial thickenings, 118
- Equilibrate, 668
- Error**
- Random, 250, 255, 257-258, 593, 689
  - Systematic, 247, 249-250, 258, 301, 338, 580, 657, 659, 696
- Eruption**
- Ectopic, 117, 119, 124, 127-128, 151-152, 163, 180, 183-184, 268-269, 279, 286, 303, 344, 346, 359, 419, 421-422, 467-468, 470, 516, 560-562, 576-577, 607, 625, 653, 667
  - Sequence, 4, 9, 11-12, 15, 41, 56, 67, 72, 117, 119, 124-125, 127-128, 130, 140, 149, 165-166, 177, 214, 237, 239, 244, 266-267, 273, 278-279, 282, 286, 297, 299, 301, 303, 313, 326, 366, 420, 447, 452, 459, 462, 465, 468, 521, 524, 540, 548, 577, 674, 697
  - Theories, 102, 120, 124, 236, 311, 314, 500, 522, 584, 677
- Eruption of teeth, 90, 136, 421, 467
- Esthetic lines, 275, 669
- Ethmoid registration point, 669
- Etiologic classification, 252
- Etiologic sites that can contribute to malocclusions**
- Periodontal tissues, 189, 218, 228, 232, 521, 523, 530, 545, 607
  - Size of teeth, 449
- Eustachian tube, 78, 669
- Exfoliate, 184, 457, 669
- Exposure, 30, 68, 159, 250, 256-259, 261, 269, 307, 383, 388, 393, 395, 516, 528, 657, 661, 663, 669, 684, 691
- Exposure odds ratio, 669
- External auditory meatus, 571, 669, 687
- Extracellular matrix, 121, 214, 233, 236, 602
- Extrafusal fibers, 80, 669

Extrusion, 112, 195, 206-207, 209-210, 229, 284, 296, 348, 358, 447, 473, 508, 510, 513-514, 525, 531, 537, 539, 541, 543-545, 586, 609, 633, 669

## F

Face, 4, 13, 15, 18, 20, 22, 39, 47-48, 51-52, 54, 57-59, 64-66, 70, 72-73, 75, 77, 82-89, 95-97, 100, 103-104, 106, 115, 137, 146-149, 151, 159-162, 170-171, 175, 195, 220, 222, 229, 251, 262-263, 265-267, 271, 273-278, 280, 283-284, 286, 294, 297-298, 301-302, 310, 323, 326-327, 337, 351, 366, 387-388, 393, 397-398, 400-401, 407, 414-416, 419, 440, 450, 456, 477, 482, 486-491, 497-501, 508, 510, 512-513, 525, 542-543, 547, 550, 554, 567, 569-570, 572-574, 588, 592-593, 599, 601, 610, 628, 656-658, 660, 664, 666, 670, 672, 674, 678-681, 683-684, 686, 688, 691, 693-695, 700

Facial angle, 275, 287, 294, 670

Facial asymmetry, 148, 175, 325, 366, 515, 524, 570-571, 574, 622, 627, 670

Facial growth, 47, 52, 73, 89-90, 95, 97-104, 106, 113, 115, 140, 251, 268, 270, 285, 337, 340, 370, 390, 400, 415-416, 434, 439-440, 443, 520, 552, 554, 557, 559, 561, 565, 574, 588

Facial midline, 148, 151, 278, 280, 326, 567, 569, 572, 628, 670, 679

Facial skeleton, 74, 85, 251, 266, 449-450, 463, 479

### Factor(s)

Behavioral, 1-45, 252, 272, 667

Etiological, 163, 169, 251-252

Extraneous, 27, 259, 655, 663

Genetic factors, 4, 100, 122, 163-166, 170-172, 180, 344, 383

Risk factor, 259, 612, 622, 691

Fear and anxiety, 2, 30

Feeding Aversion, 2, 20

Feeding aversion, 2, 20

Fetal development, 47, 61, 73, 548-549, 571

Fibroblasts, 60, 203, 205, 211-213, 218, 232, 602, 670

Field theory, 120

Fine motor skills, 2, 9, 670

Finishing, 335, 378, 528, 531, 537, 539, 598, 600, 603, 670

First order positions, 670

Flush terminal plane, 130, 133, 135, 273, 282, 339, 440, 462, 507

Fontanel, 6, 85, 176, 670

### Force movements on teeth

Extrusive and intrusive forces, 203, 227

Rotation forces, 203

Stability and relapse, 203, 228, 501, 590, 603-604

### Formative function

Bone cells and bone, 203, 213

Cementoblasts and cementum, 203, 212

Fibroblasts and periodontal ligament, 203, 211

Scavenger cells, 203, 211, 216

Frankfort plane, 149, 397, 666, 670, 684, 700

Free gingiva, 206-207, 220, 671

Freeway space, 478, 499, 671, 676

Frenectomy, 182, 302, 419, 533, 671

Frontal plane, 145-146, 671, 697

Frontomaxillary nasal suture, 671

### Function and growth interplay

Functional matrix, 95, 102-103, 167, 186, 400

Growth enlargement, 95, 103

Functional crossbite, 156, 448, 671

### Functional development

Complex reflexes, 77, 88

Development of reflexes, 77, 87-88

Simple reflexes, 77, 88

Functional occlusal plane, 106, 397, 400, 653, 671, 679, 687, 698

Functional shift, 157, 362-363, 419, 486, 490, 534, 627-628, 659

Furcation, 190, 378, 671  
 Fused teeth, 358, 378  
 Fusion, 40, 47, 52, 55, 72, 76, 78, 82, 105,  
 118-119, 158, 175, 216, 268, 377-379, 453,  
 549, 574-575, 652-653, 662, 664, 671, 685

## G

Gag Reflex, 2, 19-21, 671

### Gag reflex

Hyperactive gag reflex, 2, 20-21  
 Gastroesophageal reflux, 2, 20  
 Gateway drugs, 672  
 Gemination, 378-379, 653  
 Gene mapping, 672  
 Generalizability, 255, 672  
 Generalization, 36, 424, 478  
 Genetic, 4, 6, 14, 23-24, 42, 63-64, 66, 72-73,  
 87, 89, 96, 100, 102, 117, 120-122, 124,  
 139-140, 145, 162-174, 180, 184-186, 233,  
 237, 239, 242-243, 245-246, 249, 251, 270,  
 273-274, 280-281, 298, 344, 348, 375, 378,  
 380, 383-384, 386, 421, 436, 469-470, 520,  
 550, 579, 581, 601-602, 607, 609, 619, 668,  
 672, 699

### Genetic diseases affecting tooth structure

Amelogenesis imperfecta, 285, 375, 384-386  
 Dentinogenesis imperfecta, 375, 384-385  
 Genioplasty, 573, 672  
 Genome mapping, 672  
 Genotype, 166-168, 173, 667, 672  
 Geodigm, 352, 354, 370  
 Gingival sulcus, 245, 672  
 Gingivectomy, 221, 672  
 Gingivo-labial sulcus, 672  
 Glabella, 148-149, 275, 294, 666, 670, 672  
 Glenoid fossa, 350, 570-571, 573, 660, 672  
 Glossectomy, 672

Gnathion, 389, 392, 398, 401, 672, 700  
 Gnathology, 672

### Goals for early treatment

Craniofacial skeleton, 1, 95-114, 148, 433, 435,  
 476, 482, 487, 580, 602, 670  
 Dentition and occlusion, 1, 117-141, 263,  
 265-266, 321-373, 433, 435, 479, 594  
 Musculature, 47, 59-60, 78, 89, 94-95,  
 102-103, 128, 172, 203, 251, 263, 270,  
 277, 433, 435, 476, 479, 482, 486, 540,  
 553, 583, 586, 589, 624, 657, 685, 689,  
 694  
 Treatment planning, 149, 195, 201, 252, 263,  
 269, 302-305, 334, 339-340, 354,  
 356-357, 370-372, 388, 401, 403,  
 414-415, 417, 419-420, 425, 429, 433,  
 435, 470, 499-500, 502, 516, 521,  
 523-524, 539, 544-545, 547-548, 561,  
 566, 572, 577-578, 636-637, 640, 644-645

### Goals of adult orthodontic treatment

Objectives of treatment, 521-522  
 Golgi tendon organs, 80, 82-83, 672  
 Gonial angle, 101, 266, 274, 490-491, 513,  
 571, 630, 653, 673  
 Gonial intersection, 673, 679  
 Gonion, 177, 391-392, 394, 398, 401, 410,  
 672-673

### Gross motor skills

Goodness of fit, 2, 17, 99, 673  
 Growth curves, 2, 6, 268  
 Growth factors, 62-63, 70, 73, 236, 657, 673

### Growth movements

Displacement, 36, 95-97, 99-106, 110,  
 112-113, 140, 152, 157-158, 177, 188,  
 207, 236, 270-271, 281, 326, 340,  
 356-358, 419, 429, 477, 525, 527, 549,  
 554, 560, 562, 572, 576, 586, 590, 613,  
 617, 637, 650, 659, 664, 666, 676, 679,  
 684  
 Remodeling, 94-95, 97-109, 112, 114-115,  
 193, 203-204, 213, 215, 232-235,  
 237-239, 347, 491, 528, 580, 584-585,



588, 667, 690

Growth of the craniofacial skeleton, 1, 95-114

## **Growth, Development and morphogenic movements**

Differential growth, 50, 95-96, 434

Guidance of eruption, 303, 480, 673

Guided tissue regeneration, 524, 673

# H

Habit reversal procedure, 34, 36

Hand-wrist radiographic image, 326

Hand/Digit Sucking, 2, 33-34

Hands, 6, 9, 15, 28, 175, 261, 268, 274, 284, 575, 612

Hard palate, 96, 173, 194, 393, 550-552, 565, 577, 662, 673, 687

Haversian bone, 209, 220, 223-224, 673

Hawley retainer, 533-535, 566, 589, 596, 598, 673

Headfilm, 156, 389, 400, 416, 661

Headgear, 192, 195, 296, 420, 424, 428-429, 501, 586, 589, 602, 610-611, 613, 650, 661, 673

Healthy worker effect, 673

Height; *see Physical development*

Hemifacial, 69, 75, 366, 380, 547-548, 568-569, 571, 580, 674

## **Hemifacial microsomia**

Classification, 17, 21, 73, 143-163, 167, 185, 187, 192-193, 203, 223, 249, 252, 266-267, 273-275, 278, 281, 301, 303-304, 308-309, 318-319, 321, 349-352, 359, 369, 372-373, 386, 400, 440, 469, 534, 547, 550-551, 571, 590, 592-593, 623, 627, 631, 634, 645, 650-651, 666, 682

Etiology and description, 547, 571, 575

Growth and development, 1, 4, 94, 97, 103-104,

140, 164, 167, 171, 176-177, 262, 271, 324, 336, 360, 370, 372-373, 416, 418-419, 425, 433-435, 500-501, 505, 520, 554, 562, 571, 576, 579, 581, 602, 644-645, 651-653, 667, 700

Incidence, 21-22, 34-35, 56, 69-70, 118,

169-170, 256-257, 303, 331, 333,

376-377, 380, 382-383, 470, 547,

549-550, 572, 576-577, 586, 606, 619,

675, 686, 692

History, 2, 18, 28-29, 36, 39, 43, 119, 157,

180-181, 185, 215, 265, 270-272, 296, 299,

309, 313, 322, 384, 418, 428, 550, 563, 566,

572-573, 608, 612, 617, 633-634, 641, 645

History of Tattooing and Body Piercing, 36

## **Homeobox genes**

Dlx, 120, 140, 376

Msx, 70, 73, 120, 122, 140, 376

Msx-1, 120, 122, 140

Msx-2, 120, 140

Pax, 120, 140, 376

Homeotic genes, 67, 120, 140

Hyalinization, 203, 228, 230-231, 240, 247, 674

Hyperactive Gag Reflex, 2, 20-21

Hyperactivity, 2, 25, 27-28, 30, 41-43, 177-178, 269, 284, 656

Hyperdivergent skeletal pattern, 674

Hypernasal, 173, 553, 674

Hypertelorism, 674

Hypodivergent skeletal pattern, 160, 305, 508, 674

Hypodontia, 120, 122, 139-140, 172, 180, 186, 293, 376, 386, 674, 683

Hypomineralization, 285

Hypophyseal fossa, 393, 674, 693

Hypoplasia, 176, 270, 273, 276, 285, 296, 382-384, 508, 561-562, 575, 586, 674

Hypothesis, 23, 167, 186, 233, 238, 240, 250, 253-254, 261, 585, 590, 609, 634, 674

## I

---

Iatrogenic, 301, 428, 674  
 Idiopathic root resorption, 674  
 Immunoglobulins, 674  
 Impaction, 127, 177, 180, 182-184, 201, 269, 277, 304, 358, 419, 421-422, 459, 468, 470-471, 516, 525, 531, 543, 578, 609, 613, 619, 625, 632, 637, 653, 674-675  
 Impulsivity, 25, 27-28, 30  
 Incidence rate, 257, 675, 686  
 Incisive foramen, 549-551, 675, 688  
 Incisor liability, 278, 280, 282, 298, 675, 677, 680  
 Incomplete clefts, 675  
 Index, 6, 146, 152, 250, 252, 262, 269, 304, 314, 321, 367, 371, 502, 590, 594, 603, 658, 660, 664, 666, 676, 681  
 Index of orthodontic treatment need, 262  
**Individual teeth**  
   Shape discrepancies, 321, 330  
**Inductive approach**  
 Inductive factors, 675  
 Infectious, 24, 252  
 Infradentale, 395, 658, 675, 687  
 Infraorbital ridge, 675  
 Infraversion, 151, 158, 675  
 Inhibiting tooth movement, 239  
 Inner enamel epithelium, 118  
 Insecure attachment, 16, 675  
 Intercanine width, 136, 152, 347, 590, 604, 675  
 Intercuspatation, 128, 155-156, 273-274, 281-282, 297, 326, 331, 358-359, 361, 451, 463, 477, 567, 623, 626-627, 630, 633, 645, 660, 675, 689, 693  
 Interdisciplinary treatment, 521, 524, 676  
 Interincisal angle, 294, 676  
 Intermaxillary, 192, 371-373, 453, 491, 512, 514, 539, 650, 676  
 Intermaxillary elastics, 539, 676  
 Intermolar width, 676

Interocclusal clearance, 671, 676  
 Interrelationships between adult orthodontics and periodontics, 522  
 Intrafusal fibers, 676, 681  
 Intramembranous bone, 94  
 Ion Channels, 233, 236  
 Irregularity index, 152, 590, 603, 676

## J

---

Jackscrew, 676

## K

---

Key ridge, 115, 676  
 Koch's postulates, 252

## L

---

Labial, 98, 154-155, 163, 172, 182, 199, 204, 206, 220, 222-223, 271, 334, 353, 368-369, 382, 395, 438, 451, 453, 457-459, 488, 491, 496, 533-535, 559, 586, 590, 596, 598-600, 609, 623, 629, 631-632, 664, 671-672, 675, 677, 684, 688, 695-696  
 Labiality, 13, 677  
 Labioversion, 151, 421, 433, 458, 479, 483, 495, 498, 651, 677  
 Lamina dura, 206, 213-214, 219-223, 225, 528, 583, 659, 677

## Landmarks

Bilateral landmarks, 392  
 Midline, 48, 59, 64-65, 71, 83-85, 118, 137, 148, 151, 180-182, 269, 273-274, 278, 280-281, 286, 293, 297, 303, 322-323, 326, 338, 344, 346, 377, 387, 391-392, 424, 427, 438, 445, 448, 453, 455, 458, 463, 471, 476-478, 481, 489, 524, 533, 541-543, 549, 564, 567, 569, 572-575, 587, 590, 598, 600, 618, 627-629, 631, 636, 654, 656, 665-667, 670-671, 679-681, 685, 687-688, 700  
 Language disorders, 2, 22-23, 665  
 Late mesial shift, 133, 135, 137, 339-340, 462, 669, 673, 677  
 Learning disability, 667, 677  
 Leeway space, 133, 278, 298, 302, 331, 340, 424, 429, 501, 507, 626-627, 634, 677, 687, 697  
 Leveling and alignment, 537, 540, 677  
 Ligature, 453, 668, 678  
 Limitations of permanent dentition, 321, 336  
 Limitations of the mixed dentition, 321, 339  
 Lingual crossbite, 157-158, 321, 370, 678  
 Linguoversion, 151, 280-281, 479, 484, 678  
 Lip incompetence, 148, 178, 421, 678  
 Lip line, 148, 266, 326, 366, 678  
 Lips, 19, 21, 87, 89, 146, 148-152, 178, 203, 266, 269, 275, 277, 284, 295, 326-327, 391, 458, 479-480, 572, 629-630, 669, 672, 677-678, 685, 695  
 Logical Thinking, 2-3, 11  
 Long face syndrome, 89, 159

## M

Macroglossia, 456, 570, 679  
 Macroglossia, 679  
 Mandatory reporting of child abuse and neglect, 40  
 Mandibular dental midline, 148, 679

Mandibular dentoalveolar protrusion, 679  
 Mandibular dentoalveolar retrusion, 161, 679  
 Mandibular plane, 147, 159-160, 271, 273-274, 276-277, 279, 287, 364, 391-392, 394, 397-398, 401, 498, 508, 513, 525, 595, 630, 651-652, 658, 666, 672-673, 678-679  
 Mandibular prognathism, 161, 175, 177, 487-488, 490, 498, 679  
 Mandibular retrognathism, 56, 161, 679  
 Manic-depression, 29  
 Mastication, 35, 87, 89, 127, 172, 176, 207, 218, 285, 307, 310, 314, 569-570, 596, 599, 653, 680

### **Maturation of the dentition**

Primary Tooth Resorption, 117, 122-123  
 Maxillary dental midline, 148, 280, 572, 631, 636, 680  
 Maxillary dentoalveolar retrusion, 161  
 Maxillary process, 70  
 Maxillary prognathism, 160, 680  
 Maxillary retrognathism, 161, 680  
 Maxillary sinus, 680  
 Maxillofacial, 416, 549, 580-581, 614, 663, 680

### **Measure**

Proxy, 6, 258, 688  
 Quality of life, 252, 601, 689  
 Utility, 199, 424, 465, 698  
 Mechanical allodynia, 307, 313  
 Mechanotherapy, 195, 524, 526, 533-535, 591, 680  
 Meckel's cartilage, 74, 680  
 Median plane, 145-146, 680, 692  
 Menarche, 171, 185, 270  
 Mental age, 30, 269, 658, 676  
 Mental Retardation, 2, 15, 20-21, 23, 680  
 Mental retardation, 2, 15, 20-21, 23, 680  
 Menton, 266, 274, 294, 392, 398, 401, 651, 679-680  
 Mesenchymal condensations, 118  
 Mesenchymally Derived Bone Cells, 233-234  
 Mesenchyme, 48-49, 52, 54-55, 60, 66, 68, 70, 118-121, 139, 680, 684  
 Mesial drift, 112, 344, 437, 459, 461, 680  
 Mesial drifting tendency, 128, 137

Mesial step, 130, 134-135, 273, 282, 339, 462  
 Mesioocclusion, 351, 680  
 Mesiodens, 180, 278-279, 377, 419, 516, 681  
 Mesioversion, 151, 681  
 Mesocephalic, 146-147, 171, 463, 681  
 Microglossia, 681  
 Micrognathia, 574, 681  
 Microsomia, 69, 75, 366, 380, 547-548, 568-569, 571, 580, 681  
 Migration, 48-49, 51, 60-61, 64, 68, 70, 73, 77-78, 80, 117, 139, 152, 190, 217, 236, 346, 353, 358-359, 419-421, 437, 459, 522, 539, 561, 594, 669, 681  
 Mineralization, 118-119, 128, 213-214, 268, 298, 382, 385, 559, 569, 594, 603, 619

### Misclassification

Differential misclassification, 261  
 Nondifferential misclassification, 257  
 Mixed dentition, 117, 131, 135, 139, 141, 152, 303, 321, 335-341, 371, 416-418, 420-421, 424, 429, 435, 456-457, 459, 461-463, 483, 491, 501-502, 512, 547, 554, 560, 563, 565, 574, 578-579, 591, 594, 603, 654, 681  
 Mixed dentition analysis, 338-339, 371, 456-457, 461

### Mixed dentition period

Changes in occlusal relationships in the mixed dentition, 117, 131, 133  
 Uses of dental arch perimeter, 117  
 Mixed dentition space analysis, 336-338, 340-341, 371, 681  
 MMP inhibitors, 240  
 Molar relation correction, 287, 299  
 Molecular enhancement of tooth movement, 233

### Molecular regulation of normal

Development of the anterior neural plate, 47, 64  
 Historical perspective, 47, 61, 416  
 Normal and abnormal mechanisms of neural, 47  
 Tissue interactions, 47, 63, 668  
 Monobloc, 388, 649, 681  
 Mood Disorders, 2, 21, 28, 44

### Mood disorders

Bipolar disorder, 2, 29-30, 36, 42-43, 45  
 Major depressive disorder, 2, 28, 44  
 Morphogenesis, 119-121, 140, 681

### Morphogenic adjustments

Lacrimal bone, 95, 105  
 Net composite balance, 95, 104  
 Morphologic fields, 120  
 Multidisciplinary, 545, 560, 579-580, 681  
 Multifactorial, 35, 70, 96, 106, 166-167, 170, 173, 180, 249, 251, 261, 386, 594-595, 607  
 Multiple phases of orthodontic treatment, 417  
 Muscle spindles, 80, 89, 676, 681  
 Myelin, 221, 681-682  
 Myelination, 9, 18, 681  
 Myoblasts, 49, 52, 55, 59-60, 77-80, 82, 682  
 Myofunctional, 524, 649, 663, 682  
 Myosin, 80, 82, 682  
 Myosin ATPase, 80, 82, 682  
 Myotubes, 682

## N

Nail Biting, 2, 33, 36, 272-273, 533  
 Nail-Biting, 34  
 Naris, 682  
 Nasion, 267, 275, 294, 387, 389, 391-392, 397, 400-402, 513, 651, 672, 682, 687, 693  
 Nasopharynx, 20, 553, 576-578, 669, 682  
 Nature vs. nurture, 2, 14  
 Nerve supply of bone, 203, 225  
 Neural crest, 48-49, 51-53, 58, 60-61, 64, 66, 68-69, 73, 76, 117, 119-120, 682  
 Neural crest cells, 48-49, 51-52, 58, 64, 68, 117, 119-120  
 Neurodevelopment, 2, 9  
 Neuron, 9, 22, 42-43, 58, 69, 78-80, 88, 656, 664-665, 682, 696  
 Neutral occlusion, 350, 360, 682  
 Neutroclusion, 506, 682  
 Newborn Reflexes, 2, 18-19

Newborn reflexes, 2, 18-19

Normal childhood fears, 2, 30

Null mutation, 120, 682

## Number of teeth

Congenitally missing teeth, 173, 346, 376, 433, 436, 438, 443, 447, 452-453, 502, 548, 683

Loss of permanent teeth, 163, 433, 437, 447, 452

## Nutritive function

Vascularity of alveolar bone, 203, 220

Vascularity of gingival tissues, 203, 220

Vascularity of periodontal ligament, 203

# O

Obesity, 6, 38, 45, 658

Obturator, 553, 683

Occlusal adjustment, 524, 526, 683

Occlusal index, 252, 262

Occlusal map, 342-343, 683

Odds ratio, 257, 669

Odontoblasts, 118-119

## Odontogenesis

Clinical implications, 117, 121, 332, 470, 520, 544

Early tooth formation, 117-118

Epithelial/Mesenchymal interactions, 117

Genetics and patterning, 117, 120

Odontoid process, 683

Offset, 349, 387, 393-398, 528, 683

Oligodontia, 121-122, 140, 180, 186, 293, 296, 344, 376, 674, 683

Open bite, 33, 89, 92, 94, 104, 113, 155, 158-159, 172, 178, 185, 271, 283, 312, 359, 364-365, 367, 429, 433, 463, 495, 497-498, 501, 507, 511-513, 520, 571-573, 575-578, 583, 585, 587, 589-590, 616, 622, 626, 629-631, 651, 653, 683, 687, 697

Oral habits, 177, 270-272, 274, 284, 421, 425,

476, 501, 618, 623, 629, 632

Oral Motor Dysfunction, 2, 21

Oral motor dysfunction, 2, 21

Orbitale, 397, 663, 670, 683

Orientation planes, 145-147, 151, 159, 681

Orofacial, 89, 94, 128, 139-140, 263, 304, 318, 421, 479, 482, 571, 576, 657, 683

Orofacial and Jaw Musculature, 263

OrthoCAD, 321, 352, 354-355, 403, 693

Orthodontic diagnosis, 161, 265, 299-302, 305, 367, 415, 561, 637

Orthodontic study models, 295

## Orthodontics during growth and development

Benefits, 35, 328, 357, 433-434, 521, 548, 565, 601-602, 632

Difficulties, 20-21, 23-25, 32, 43, 331, 337, 433-434, 456, 459, 465, 552, 570, 577

Rationale, 96, 187, 201, 250, 301, 433-434, 482-483, 488, 545, 554, 622

Orthognathic, 103, 149, 160, 175-176, 224, 266, 273, 275, 294, 296, 301-302, 325-326, 329, 370, 400-402, 434, 477, 481-482, 490, 492, 494, 511-513, 515, 521, 537, 539, 541, 543-545, 554-555, 557, 566-568, 573-574, 578, 580, 605-606, 614, 617, 621, 633, 636, 645, 684, 699

## Orthognathic surgery

Indications, 41-42, 296, 424, 427, 521, 539, 602, 613

Orthodontic preparation, 521

Sequence of treatment, 521, 540, 548

Surgical techniques, 521, 540, 555

Orthopedic forces, 508, 684

Osteoblasts, 210-216, 222, 224-225, 228, 230, 234, 236-238, 241, 243-244, 684, 690-691

Osteoclasts, 105, 122, 211, 213-216, 228, 230-241, 244, 246, 684, 690-692

Osteointegration, 684

Osteoprotegerin (OPG), 235, 243

Outcome, 4, 14, 43, 75, 106, 251-252, 255-256, 258-262, 322, 335, 349, 351, 354, 361, 363, 429, 437, 501, 506, 508, 510, 516,

520, 539-540, 545, 560, 567-568, 590, 593, 601, 639-640, 644, 657, 663, 670, 686

Outcomes, 44, 103, 115, 187-188, 193, 200, 249-250, 252, 254-255, 262, 265, 318, 325, 354, 357, 403, 407, 414-415, 429, 434, 513, 557, 559, 572, 601, 639, 646, 684

Outer enamel epithelium, 118

Overbite, 98, 113, 117, 130, 139, 158, 171, 181, 201, 273-274, 277, 283, 298, 321, 327, 330-332, 350-351, 353, 364, 367-369, 378, 380, 397, 424, 427, 433, 458, 465, 481, 486, 491-492, 495, 498-499, 501, 505-508, 510, 514, 516, 534-535, 574, 578, 588-589, 592-593, 601, 603, 609, 622, 626, 631-632, 644, 683-684

Overjet, 98, 117, 128, 130, 139, 154, 171, 181, 273-274, 277, 281-282, 321, 330-332, 339, 350-351, 353, 367-368, 378, 380, 388, 421, 424-425, 429, 433, 458, 461, 465, 481, 491-492, 494-495, 506-507, 516, 531, 533, 572, 574, 578, 586, 588, 590, 593, 601, 609, 613, 622, 626, 630-632, 634, 636, 644, 647, 684

Overjet and overbite, 117, 139, 481, 492, 574, 609

## P

Pain, 2, 30, 32-33, 35-37, 40-41, 44, 221, 272-274, 285, 307-319, 326, 348, 524, 526, 605, 611, 613, 617, 622, 624, 631-632, 682

Palatal crossbite, 158, 662, 684

Palatal plane, 277, 364, 392, 397, 498, 513, 684

Panic Attacks, 2, 32, 40

Papilla, 118-119, 182, 207, 440, 453, 668, 675, 684-685

Paramedian, 575, 685

Peer pressure, 25, 284, 685

Perforating fibers, 224, 228, 685

Peridontium, 35, 685

## Periodontal connective tissue

Periodontal membrane, 95, 105, 698  
Remodeling movements, 95, 105

## Periodontal ligament

Periodontal screening & recording, 685  
Perioral muscles, 685

## Permanent tooth eruption

Ectopic eruption, 117, 124, 127-128, 152, 163, 180, 183-184, 268, 279, 286, 303, 344, 421, 467-468, 560-562, 577, 653, 667

Factors involved in tooth position during eruption, 117, 127

Sequence of eruption, 117, 124, 128, 286, 303, 465, 468

Variability of eruption, 117, 124

Person-time, 256, 675, 686

Personality, 2-3, 14, 25, 29, 42-43, 398, 686, 696

## Personality development

Development of body image, 2, 14-15

Development of sense of self, 2, 14-15

Nature vs. Nurture, 2, 14

Social norms for physical appearance, 2, 15

Temperament, 2-3, 14, 17, 21, 696

Pervasive Developmental Disorder, 2, 24-25

Pharyngeal arches, 686

Pharyngeal development, 2, 19

Pharyngeal flap, 20, 553, 555, 557, 686

Phenotypic variation, 122, 171, 186, 686

Philtrum of the lip, 686

## Phobia

Agoraphobia, 32

Social phobia, 32

Specific phobia, 32

Photography; *see Digital imaging*

Physical Development, 2-5, 42, 645

## Physical development

Failure to thrive, 2, 9, 20, 39

Gross & fine motor skills, 2

Growth Curves, 2, 6, 268

Head circumference, 2, 5-6

Height, 2, 5-6, 9, 83-84, 89, 122-123, 139,



147, 159-160, 170, 177, 185-186, 190, 266-268, 274-275, 277, 285, 289-292, 297, 349, 353, 364, 401, 410, 438-440, 450, 456, 473-474, 481-482, 486-487, 497-499, 508, 510, 513, 541, 543, 570-571, 576, 588, 591, 596, 602, 622, 628-630, 650, 658, 666, 672, 679, 698

Measuring body fat, 2, 5-6

Weight, 2, 5-6, 9, 29, 37, 39, 177, 222, 269, 285, 289-292, 309, 383, 658, 662

Physical/Sexual/Emotional Abuse and Neglect, 39

Physiologic age, 268, 658

Piaget, 10, 686, 688

Plosive, 92, 553, 686

Pogonion, 149, 275, 294, 391-392, 401-402, 651, 658, 666, 669, 672, 678, 687, 694

Polysomnography, 38

Posterior border of the ramus, 108, 513, 687

Posterior crossbite, 156, 173, 175, 273, 278, 280, 319, 362-363, 367-368, 476-477, 500, 503, 507, 534, 627, 630, 687

Posterior Downs point, 667, 687

Posterior leeway space, 278, 298, 687

Posterior nasal spine, 393, 684, 687

Posterior open bite, 158, 364-365, 498, 587, 687

Power, 80, 255, 258, 537, 670, 676, 688, 692

Pre-prosthetic repositioning, 521

Precision, 9, 99, 105, 117, 168, 249, 257-258, 262, 338, 353, 367, 394, 434, 688

**Precision and validity**

- Confounding, 249, 258-261, 663
- Information bias, 249, 261
- Selection bias, 249, 258-259, 332, 601

Predictor, 255, 501, 609

Premaxillary segment, 71, 553-554, 563

Prenatal craniofacial development, 1, 47-76

Primary palate, 47, 54-57, 70-71, 118, 549, 554, 688

**Primate space**

- Mandibular primate space, 282, 679

Proclination, 296, 537, 586, 607, 619, 652, 688

Procumbency, 496, 688

Prognathic, 149, 171, 294, 351, 364, 670, 688

Prognathism, 160-161, 175, 177, 433, 486-488, 490, 496-498, 575, 657, 679-680, 688

Prognosis, 148, 176, 252, 254, 283, 300-301, 304, 438, 461, 478, 487, 490, 499, 507-508, 510, 513-514

Prognostic set-up, 335, 665

Prosthion, 395, 687-688

Protrusion, 19, 22, 89, 102-103, 148, 160-161, 269, 275, 279, 284, 293, 297, 308, 419, 425, 433, 483, 495-497, 505, 508, 554, 588, 626, 632, 634, 657, 678-680, 688

Proxy measures, 258, 688

Psychiatric Medication in Children and Adolescents, 36, 41

Psychopharmacotherapy in children, 2

Psychosocial, 1-45, 249, 252, 318, 488, 547, 552, 571, 577, 580, 649

Pterygo-maxillary fissure, 689

## R

Race, 11, 39, 159, 172, 252, 261, 276, 282, 286, 329, 613

Radicular, 207, 385, 652, 689

### **Radiographic examination**

- The lateral cephalometric radiograph, 265, 327, 634
- The panoramic film, 293

### **Radiographic images**

- Lateral cephalometric, 145, 159, 265, 269, 293, 304, 319, 323-325, 327, 401, 403, 416, 418, 563, 565, 570, 578, 627, 629, 633-634, 645, 677, 680, 698
- Occlusal plane radiographic, 326-327
- Panoramic radiograph, 125, 128-129, 179, 422, 428, 471, 563-564, 570, 633, 636, 645, 647
- Postero-anterior cephalometric, 372-373

- Submento-vertex cephalometric, 326-327  
 Trans-cranial, 326
- Ramus, 95, 99, 101-102, 104, 108, 111, 127, 139, 177, 281, 393, 398, 490, 499, 513, 540, 570-571, 573, 653-654, 663, 672-673, 679, 687, 689
- Random error, 258, 689
- Rebound effect, 585, 689
- Reflex**
- Babinski reflex, 19
  - Moro reflex, 19
  - Palmar grasp reflex, 19
  - Speech dysfluency, 22
  - Stepping reflex, 19
- Reflexes, 2-3, 18-19, 21, 77, 83, 87-90, 94, 128, 221, 689-690
- Registries, 256
- Relapse, 106, 178, 193, 203, 208, 228, 254, 270, 284, 343, 348, 420, 431, 434, 437, 501, 512, 528, 530, 560, 565-567, 573, 583-604, 613-614, 616-618, 661, 689-690
- Relationships of tooth size to the available space, 335
- Relationships of tooth size to the available space**
- Limitations of permanent dentition space analyses, 321, 336
  - Limitations of the mixed dentition space analyses, 321, 339
  - Mixed dentition space analyses, 321, 336-337, 340-341
  - Permanent dentition space analyses, 321, 335-336
- Relative risk, 256, 259-261, 690
- Releveling, 537, 539, 690
- Reliable, 249, 252-253, 258, 307, 313, 346, 372-373, 393, 592, 617, 640, 644, 646
- Repetitive behaviors**
- Bruxism, 2, 33-35, 273, 608, 623, 630, 632, 659
  - Hand/digit sucking, 2, 33-34
  - Nail biting, 2, 33, 36, 272-273, 533
- Reproducibility, 255, 294, 691
- Reproximation, 602, 691
- Required space, 151, 655, 690
- Resorb, 183-184, 213, 228, 235, 238, 440, 470, 691
- Resorption, 34, 98-99, 101, 117, 122-123, 127-128, 140, 193-194, 201, 211, 213, 216, 224-232, 234-235, 237-239, 241-247, 268, 296, 323, 329, 378, 385, 406, 422, 428, 440, 458, 467, 522-523, 559, 562, 565, 605, 607-610, 617, 619, 657, 667, 674, 691-692, 698
- Retention, relapse and the recurrence of malocclusion**
- Appliance designs and retention, 595
  - Effects of extraction and non-extraction treatment on arch stability, 603
  - General factors affecting stability, 583, 602
  - Palatal expansion and stability, 583, 593
  - Retention of anterior-posterior corrections, 602
  - Retention of arch form and arch alignment, 583, 603
  - Retention of vertical corrections, 583, 588
  - Third molars and relapse, 583, 594, 604
- Retrognathia**
- Retrognathism**
- Retrusion**
- Rigid fixation**
- Risk taking behavior**
- Body piercing, 2, 36-38
  - Tattoos, 2, 37-38
- Root formation, 120, 122, 124, 222, 465, 567
- Root resorption, 34, 194, 201, 228, 232, 237, 245-246, 296, 323, 385, 406, 428, 522-523, 605, 607-610, 619, 674, 692
- Root torque, 199, 276, 609
- Rooting reflex, 19, 692
- Rule, 4, 22, 26, 39, 101, 173, 251, 266, 283, 298, 340, 391, 424, 447-448, 457, 462-463, 567, 596, 625, 656, 684

## S

Safe local delivery of genes, 233, 239

### **Sagittal interjaw relationships**

Class II Division 2 malocclusion, 505, 509, 603, 623, 631

Class III malocclusion, 152, 155, 161, 273, 351, 477, 485, 487-488, 491-493, 495, 502, 505, 509-511, 575-577, 588, 602-603, 611, 623, 631, 689

Sample size determination, 258, 692

Sampling, 258, 692, 699

Sarcolemma, 82, 692

Sarcoplasmic reticulum, 81, 692

Scaffold, 692

Scale, 239, 252, 314, 664, 669

Scammon's, 267-268, 275

Scissors bite, 362-363, 370, 495, 659

Screening exam, 418

Screening for orthodontic treatment, 417

Secure attachment, 16, 31, 692

Selected cognitive, emotional, and behavioral problems, 44

Self-awareness, 11-12, 14, 692

Self-injurious behavior, 2, 36

Sella turcica, 83, 393, 662, 693, 700

### **Sensory function**

Innervation of periodontal ligament, 203, 232

Separation anxiety, 13, 30-32, 43, 693

Serial extraction, 127, 303, 424-426, 463-464, 501, 591, 603, 693

Serial extraction treatment, 127, 591

Serum, 41, 233, 238, 246, 674

Setting up anchorage, 537, 693

Settling of the occlusion, 693

Short face syndrome, 267, 277

### **Significant design challenges in tissue engineering**

Degradable/Degradability, 664

Vascular and neural infiltration, 219

SiRNAs, 233-234, 239

Six keys to normal occlusion, 301, 351, 372, 429, 522, 693

### **Size relationships of Groups of teeth**

Bolton tooth ratio analysis, 321, 331

Gender and tooth size discrepancies, 321, 333

Malocclusion groups and tooth size discrepancies, 321, 333

Populations and tooth size discrepancies, 332

Sanin-Savara tooth size analysis, 321, 332

Skeletal age, 268-269, 274, 305, 326, 657-658

Skeletal crossbite, 693

### **Skeletal pattern**

Frontal cephalometric radiograph, 145, 671

Lateral cephalometric radiograph, 145, 159, 265, 323, 327, 563, 565, 570, 627, 629, 633-634, 645

Sleep Apnea, 2, 38-39, 296

Sleep apnea, 2, 38-39, 296

Smile line, 148, 273, 276-277, 302, 439, 543, 546, 693

Social Development, 2-3, 16, 552

### **Social development**

Attachment, 2-3, 16-17, 31, 82-83, 102, 105, 113, 122, 172, 182, 192, 195, 199, 206-207, 209, 212, 229, 236-237, 378, 406, 429, 450, 524, 526, 528, 544, 553, 597, 610, 650, 656-657, 659, 666-667, 672, 675, 678, 686, 692

Social smile, 15, 694

Soft palate, 21, 57, 70, 78, 92, 173, 550-551, 553, 575, 686, 694, 698-699

### **Soft tissue relationships**

Frontal facial view, 145, 147, 326, 567

Profile facial view, 145, 149

Source population, 257

Space Analyses, 321, 335-337, 340-341

Space analyses, 321, 335-337, 340-341

Space closure, 188, 197, 199, 201, 278, 426,

440-441, 443, 447, 462, 525-526, 533, 535, 537, 539, 588, 676, 690, 694

Space deficiency, 127, 336, 694

Space excess, 336, 694

## Speech

- Disorders of articulation, 2, 22
- Disorders of fluency- stuttering, 2, 22
- Disorders of voice, 2, 22
- Speech and Language Development, 2-3, 44
- Speech and language development, 2-3, 44
- Splint, 34, 122, 524, 580, 610-611, 618, 657, 694
- Stability, 11, 43, 83, 203, 228, 314, 330, 335, 343, 347-348, 372, 438, 501-502, 507, 510, 513, 522, 537, 539-540, 545, 568, 573, 583-585, 588, 590-595, 598-599, 601-604, 614, 654, 667, 678, 694
- Steiner chevrons, 287-288, 294, 694
- Stellate reticulum, 118
- Stomatodeum, 118
- Strain generated potentials, 233, 236
- Stranger anxiety, 31

## Strategies for coordinating dental and surgical treatment

- Bone graft, 555-557, 559-563, 565-566
- Documentation and diagnosis, 547, 577
- Stratum intermedium, 118

## Structural development

- Differentiation of muscle cells, 77-78
- How muscles grow, 77, 82
- Relation of structure to early prenatal, 77
- Sutures of the cranial base and face, 77

## Study Designs

- Clinical trials, 239, 249, 254-256, 522
- Randomization, 249, 254-255
- Subject selection, 249, 255
- Treatment selection, 249, 254-255
- Study models, 265, 295, 352, 403, 413, 590
- Subdivision malocclusion, 273, 371
- Subject recruitment, 255
- Substance abuse & motor vehicle accidents, 38
- Succedaneous teeth, 180, 186, 278, 281, 286, 299, 303, 673, 695
- Successional lamina, 695
- Successional teeth, 131, 695
- Suicidal ideation, 29, 695
- Supernumerary teeth, 151, 163, 173, 176,

- 180-181, 293, 296, 303, 326, 346, 376-377, 410, 433, 447-449, 453, 553, 560-561, 622, 625, 695

## Supportive function

- Extra-alveolar group, 203, 205-207, 209
- Intra-alveolar group, 203, 205, 209
- Supradentale, 654, 695
- Supraversion, 151, 695
- Symbolic thought, 10, 695
- Symmetrograph, 346, 695
- Symphysis, 4, 54, 176, 274, 393, 456, 540, 545, 672, 678, 680, 695-696
- Synapses, 10, 87
- Synchondrosis, 73, 77, 82-84, 86, 97, 660, 694, 696
- Syndrome, 5-6, 20-21, 25, 35, 38-39, 61, 63-66, 68-70, 73, 75, 87, 89, 105, 148, 159, 163, 165-167, 171-172, 174-176, 180-181, 185-186, 267, 276-278, 296, 310, 318-319, 344, 366, 376-377, 380, 384, 498, 515, 547-548, 569, 574-577, 580-581, 655, 690, 696
- Systematic error, 258, 338, 696

## T

- Tangent, 137, 275, 294, 391-392, 394, 398, 651, 687, 696, 700
- Target disorder, 249
- Tartrate resistant acid phosphatase (TRAP), 237, 246

## Team concept

- Dentist on the team, 548
- Members of the team, 572
- Temporomandibular joint, 35, 79, 89, 94, 285, 319, 322, 350, 366, 417, 486, 569-573, 611, 614, 619, 657, 685, 694, 696-697
- TEMPOROMANDIBULAR JOINT DYSFUNCTION, 35, 614, 697

Terminal plane occlusion, 282, 440

## The supporting tissues

Theory of mind, 11, 696

## Tics

Complex motor tics, 35

Simple motor tics, 35

Simple vocal tics, 35

Tourette's syndrome, 35

## Tipping and bodily movement

Force of bodily movement, 203, 227

Hyalinization zones, 203, 228

## Tissue engineering

Conductive approach; *see Conductive approach*

Inductive approach; *see Inductive approach*

Tissue regeneration, 524, 673, 697

Tm joint dysfunction, 285

TMD, 307-319, 354, 611, 619, 660, 697

TMD causation and pathogenesis, 307, 311

TMD severity, chronicity and complexity, 307

Tongue Thrust, 2, 21, 284, 497, 501, 513, 589, 630, 697, 699

Tongue thrust, 2, 21, 284, 497, 501, 513, 589, 630, 697, 699

Tongue thrusting, 88-89, 177-178, 271-273, 284, 344, 419, 425, 513, 533, 623, 626, 629

Tooth crypt, 122, 697

## Tooth formation

Bell stage, 118

Bud stage, 119

Cap stage, 118

Tooth germ, 118-120, 377, 467-468, 667

Tooth size discrepancy, 152, 182-183, 332, 352, 371, 533, 542, 592, 697

Torsiversion, 151, 697

Total leeway space, 278, 697

Total porosity, 697

## Tracing vs video imaging

Identification Procedures, 387

Tragus of the ear, 697

Transactional model of development, 14

Transitional dentition, 127, 131, 133, 279-280, 283, 286, 298, 305, 433, 456, 572, 626-627,

633, 673, 681, 693, 697

Transitional object, 12-13

Translation, 62, 120, 189-191, 194, 199, 440, 460-461, 481-482, 486, 535, 697

Transport vesicles, 214, 697

Transposition, 151, 163, 183-184, 186, 269, 380, 382, 469, 518, 520, 653, 697-698

Transpositions, 120, 296, 382, 469

Transverse discrepancy malocclusion, 505

Transversion, 151, 698

Treatment effect, 252, 255, 594

Treatment objective, 325, 329, 632, 699

## Treatment options

Correction of dental alignment, 521, 525, 531

Forced eruption, 521, 525, 528, 531, 545, 670

Limited tooth movement, 521, 524-525, 678

Pre-prosthetic repositioning, 525

Treatment outcome, 4, 252, 335, 349, 351, 501, 506, 508, 510, 520, 560, 593

## Treatment planning considerations

Orthodontic records, 145, 322, 361, 364, 418, 521, 524, 572

Sequence of adult treatment, 521, 524

## Treatment planning in the primary dentition

Conditions, 20, 32, 96, 99, 102-103, 105-106, 124, 172, 174, 176-177, 188, 211,

217-218, 236, 238, 251-252, 272-273,

286, 307-319, 322-323, 327, 333,

366-367, 385, 394, 414, 417, 419-421,

425, 435-436, 456-457, 461, 465, 488,

508, 515, 579, 599, 601-602, 621-622,

626-633, 639-640, 644-646, 669, 691

Contraindications, 417, 420, 438, 521-522

Treatment results, 138, 250, 322, 324, 329, 347, 349, 425, 523, 542

Treatment target, 253

Turnover, 97, 211-212, 233, 235-236, 238, 244, 246, 584, 690, 698

Tweed triangle, 698

---

## U

Undermining resorption, 193, 228, 231, 523, 698  
 Uvula, 550-551, 698

---

## V

Vacuolar H<sup>+</sup>-ATPase (V-ATPase), 241  
 Valid, 249-250, 252-254, 256-258, 294, 307, 337, 435, 639, 699  
 Validity, 249, 252-253, 258, 262, 302, 305, 326, 449, 603, 699  
 Variable expressivity, 122, 180, 380, 699  
 Vascular supply of bone, 203, 226  
 Velo-pharyngeal, 699  
 Velopharyngeal insufficiency, 173, 699  
 Vertical maxillary excess, 277, 364-365, 545, 629-630, 699

### **Vertical plane malocclusion**

Anterior open bite, 33, 89, 94, 113, 158, 185, 359, 364-365, 367, 497, 507, 512-513, 520, 571-572, 576-578, 583, 589, 616, 629-630, 653, 697  
 Deep overbite, 113, 171, 201, 368, 495, 505-506, 508, 514, 535, 603  
 Vestibular space, 699  
 Visual treatment objective, 325, 329, 699  
 Vomer, 83-86, 554, 700  
 VTO, 325, 329, 699

---

## W

When early treatment is unsatisfactory, 433, 436  
 Wolf's law, 700

---

## Y

Y-axis, 287, 294, 700

---

## Z

Z-angle, 287, 700  
 Zygomatic arch, 391, 571